
INDUSTRIAL





Marine Mounts

DESCRIPTION

The Marine-type mounts are ideal for mobile applications thanks to their rugged architecture.

Their special design offers different stiffnesses on the three axes, they are antivibration mounts with great vertical elasticity, great longitudinal stiffness and optimal lateral stiffness to offer extra isolation on this axis.

Technical Characteristics

- The top part of the hood has a cross-shaped stamp, which improves its stiffness in mobile applications and also improves the evacuation of oils or liquid which splash onto it
- The metal parts have an anticorrosive treatment which is suitable for outdoor applications. RoHs compliant.
- The mounts are clearly identified, as the bases are engraved with the type and hardness.
- They have an interlocking metal component that provides a failsafe protection for mobile applications. This device limits the ascending vertical movement when the mounting is submitted to shocks at traction.
- The top part protects the elastomer inside from possible dripping oil, diesel, ozone and ultraviolet emissions that may cause major damage to the rubber.
- The different stiffnesses for each axis make it possible to offer major flexibility in the direction perpendicular to the crankshaft/ shaft of the motor. This provides more effective isolation from vibrations of all types of engines.


Applications


In mobile rotating machines that need a major isolation capacity from vibrations and noises, such as:


- Pumps
- Marine-Land units
- Mobile electrical panels
- Industrial vehicles
- Compressors
- Ventilators
- Marine Propellers




	Туре	A (mm)	B (mm)	C (mm)	D (mm)	F (mm)	G (mm)	J (mm)	М	Weight (gr.)	Code	Load (kg)	Shore
	SMALL	120	40	60	100	14	11	11	M12	397	136001 136002 136003 136004 136005	35 45 70 95 110	40 Sh 45 Sh 55 Sh 65 Sh 75 Sh
	MEDIUM	184	50	75	140	30	13	22	M16	857	136021 136022 136023 136024 136025	95 120 220 280 400	35 Sh 45 Sh 55 Sh 65 Sh 75 Sh
	LARGE	228	68	112	182	34	18	26	M20	2250	136041 136042 136043 136044	350 525 800 1080	45 Sh 55 Sh 65 Sh 75 Sh
	XL	330	112	190	270	22	22	22	M24	9600	136061 136062 136063 136064	950 1400 2200 3000	40 Sh 50 Sh 60 Sh 70 Sh









Marine XL



Natural Frequency Dynamic Marine Mount

Load Deflection Graph Marine Type Mount

